hydrobiologia volume 287 (1994), contents

no. 1

Biogeography of Subterranean Crustaceans: the Effects of Different Scales
A symposium held at the summer meeting of the Crustacean Society in Charleston, South Carolina, USA, in June 1992
Guest Editors: David C. Culver & John R. Holsinger

Introduction to the Symposium, by D. C. Culver, D. W. Fong & J. R. Holsinger 1
D. C. Culver & D. W. Fong: Small scale and large scale biogeography of subterranean crustacean faunas of the Virginias 3
J. V. Ward, J. A. Stanford & N. J. Voelz: Spatial distribution patterns of Crustacea in the floodplain aquifer of an alluvial river 11
B. Rogulj, P. Marmonier, R. Lattinger & D. Danielopol: Fine-scale distribution of hypogean Ostracoda in the interstitial habitats of the Rivers Sava and Rhône 19
D. W. Fong & D. C. Culver: Fine-scale biogeographic differences in the crustacean fauna of a cave system in West Virginia, USA 29
B. Sket: Distribution of *Asellus aquaticus* (Crustacea: Isopoda: Asellidae) and its hypogean populations at different geographic scales, with a note on *Proasellus istrianus* 39
C. Boutin: Phylogeny and biogeography of Metacrangonyctid amphipods in North Africa 49
B. Sket: Distribution patterns of some subterranean Crustacea in the territory of the former Yugoslavia 65
N. Coineau: Evolutionary biogeography of the Microparasellid isopod *Microcharon* (Crustacea) in the Mediterranean Basin 77
H. H. Hobbs III: Biogeography of subterranean decapods in North and Central America and the Caribbean region (Caridea, Astacidea, Brachyura) 95
J. H. Stock: Biogeographic synthesis of the insular groundwater faunas of the (sub)tropical Atlantic 105
D. L. Danielopol, P. Marmonier, A. J. Boulton & G. Bonaduce: World subterranean ostracod biogeography: dispersal or vicariance 119
J. R. Holsinger: Pattern and process in the biogeography of subterranean amphipods 131
J. V. Ward & M. A. Palmer: Distribution patterns of interstitial freshwater meiofauna over a range of spatial scales, with emphasis on alluvial river-aquifer systems 147

no. 2

L. R. Hansen, J. Kristiansen & J. V. Rasmussen: Potential toxicity of the freshwater *Chrysochromulina* species *C. parva* (Prymnesiophyceae) 157
J. L. Farris, J. L. Grudzien, S. E. Belanger, D. S. Cherry & J. Cairns, Jr.: Molluscan cellulolytic activity responses to zinc exposure in laboratory and field stream comparisons 161
P. Ekholm: Bioavailability of phosphorus in agriculturally loaded rivers in southern Finland 179

C. C. Hakenkamp, M. A. Palmer & B. R. James: Metazoans from a sandy aquifer: dynamics across a physically and chemically heterogeneous groundwater system 195
F. Martínez-Jerónimo, R. Villaseñor, G. Rios & F. Espinosa: Effect of food type and concentration on the survival, longevity, and reproduction of *Daphnia magna* 207
N. Sangpradub & P. S. Giller: Gut morphology, feeding rate and gut clearance in five species of caddis larvae 215

no. 3

M. Manca, P. Cammarano & T. Spagnuolo: Notes on Cladocera and Copepoda from high altitude lakes in the Mount Everest Region (Nepal) 225
L. Douëllou & K. H. Erlwanger: Crustacean parasites of fishes in Lake Kariba, Zimbabwe, preliminary results 233
H. Segers: On four new tropical and subtropical *Lecane* (Lecanidae, Monogononta, Rotifera) 243
H. Segers, S. S. S. Sarma, F. K. Kakkassery & C. K. G. Nayar: New records of Rotifera from India 251
G. E. Fenton: Breeding biology of *Tenagomysis tasmaniae* Fenton, *Anisomysis mixta australis* (Zimmer) and *Paramesopodopsis rufa* Fenton from south-eastern Tasmania (Crustacea: Mysidacea) 259
R. M. Lopes & M. Silveira: Symbiosis between a pelagic flatworm and a dinoglagellate from a tropical area: structural observations 277

Erratum 285

Author index 287